Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A benzopyran derivative of formula (I) or (II), or pharmaceutically acceptable salt thereof



(I)



(II)

wherein

R^1 and R^2 are independently of each other

(i) hydrogen atom,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group wherein ~~(wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom ~~atom)~~ or

(3) hydroxy group, ~~group),~~ or

(iii) C_{6-14} aryl group, wherein ~~group (wherein~~ the aryl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) hydroxy group,

(3) nitro group,

(4) cyano group,

(5) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with a halogen atom, ~~atom)~~ or

(c) hydroxy group]~~group)~~ or

(6) C_{1-6} alkoxy group wherein ~~(wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom; ~~atom));~~

R^3 is hydroxy group or C_{1-6} alkylcarbonyloxy group, or R^3 forms a bond together with R^4;

R^4 is hydrogen atom, or R^4 forms a bond together with R^3;

m is an integer of 0 to 4;

n is an integer of 0 to 4;

V is a single bond, CR^7R^8 wherein R^7 is

(i) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) hydroxy group,

(3) C_{1-6} alkoxy group wherein ~~(wherein~~ the C_{1-6} alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) C_{6-14} aryl ~~group,~~ group or C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{10}, wherein R^{10} is

(a) halogen atom;

(b) hydroxy group;

(c) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, hydroxy group or C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom; ~~atom));~~

(d) C_{1-6} alkoxy group wherein ~~(wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom; ~~atom);~~

(e) nitro group; cyano group; formyl group; formamide group; sulfonylamino group; sulfonyl group; amino group; C_{1-6} alkylamino group; di-C_{1-6} alkylamino group; C_{1-6} alkylcarbonylamino group; C_{1-6} alkylsulfonylamino group; aminocarbonyl group; C_{1-6} alkylaminocarbonyl group; di-C_{1-6} alkylaminocarbonyl group; C_{1-6} alkylcarbonyl group; C_{1-6} alkoxycarbonyl group; aminosulfonyl group; C_{1-6} alkylsulfonyl group; carboxy group or C_{6-14} arylcarbonyl group,

and when a plurality of R^{10} are present, they may be identical or different from each other; ~~other);~~

(5) C_{1-6} alkylcarbonyloxy group; nitro group; cyano group; formyl group; formamide group; amino group; C_{1-6} alkylamino group; di-C_{1-6} alkylamino group; C_{1-6} alkylcarbonylamino group; C_{1-6} alkylsulfonylamino group; aminocarbonyl group; C_{1-6} alkylaminocarbonyl group; di-C_{1-6} alkylaminocarbonyl group; C_{1-6} alkylcarbonyl group; C_{1-6} alkoxycarbonyl group; aminosulfonyl group; C_{1-6} alkylsulfonyl group; carboxy group or sulfonyl group;

(ii) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{10}, ~~R^{10}~~ wherein R^{10} has the above-mentioned meaning; ~~meaning);~~

(iii) hydroxy group;

(iv) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom; ~~atom);~~ or

(v) nitro group; cyano group; formyl group; formamide group; sulfonylamino group; sulfonyl group; amino group; C_{1-6} alkylamino group; di-C_{1-6} alkylamino group; C_{1-6} alkylcarbonylamino group; C_{1-6} alkylsulfonylamino group; aminocarbonyl group; C_{1-6} alkylaminocarbonyl group; di-C_{1-6} alkylaminocarbonyl group; C_{1-6} alkylcarbonyl group; C_{1-6} alkoxycarbonyl group; aminosulfonyl group; C_{1-6} alkylsulfonyl group; carboxy group,

(vi) C_{6-14} arylcarbonyl group or C_{2-9} heteroarylcarbonyl group, wherein ~~group (wherein~~ each of the arylcarbonyl group or heteroarylcarbonyl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{10} wherein R^{10} has the above-mentioned meaning, ~~meaning),~~ and

R^8 is

(i) hydrogen atom,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the C_{1-6} alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) hydroxy group,

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{17}, ~~R^{17}~~ wherein R^{17} has the same meaning as R^{10}, ~~R^{10}~~),

(5) C_{1-6} alkylcarbonyloxy group; nitro group; cyano group; formyl group; formamide group; amino group; C_{1-6} alkylamino group; di-C_{1-6} alkylamino group; C_{1-6} alkylcarbonylamino group; C_{1-6} alkylsulfonylamino group; aminocarbonyl group; C_{1-6} alkylaminocarbonyl group; di-C_{1-6} alkylaminocarbonyl group; C_{1-6} alkylcarbonyl group; C_{1-6} alkoxycarbonyl group; aminosulfonyl group; C_{1-6} alkylsulfonyl group; carboxy group or sulfonyl group; ~~group);~~

(iii) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{17}, ~~R^{17}~~ wherein R^{17} has the same meaning as R^{10}; ~~R^{10}~~);

(iv) hydroxy group;

(v) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~ or

(vi) nitro group; cyano group; formyl group; formamide group; sulfonylamino group; sulfonyl group; amino group; C_{1-6} alkylamino group; di-C_{1-6} alkylamino group; C_{1-6} alkylcarbonylamino group; C_{1-6} alkylsulfonylamino group; aminocarbonyl group; C_{1-6} alkylaminocarbonyl group; di-C_{1-6} alkylaminocarbonyl group; C_{1-6} alkylcarbonyl group; C_{1-6} alkoxycarbonyl group; aminosulfonyl group; C_{1-6} alkylsulfonyl group; carboxy group, C_{6-14} arylcarbonyl group or C_{2-9} heteroarylcarbonyl group, whereingroup ~~(wherein~~ each of the arylcarbonyl group or heteroarylcarbonyl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{17}, ~~R^{17}~~ wherein R^{17} has the same meaning as R^{10}, or ~~R^{10}~~), ~~or~~

R^7 together with R^8 may represent =O or =S, or

V is NR^9 wherein R^9 is

(i) hydrogen atom, ~~atom or~~

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with a halogen atom, ~~atom),~~

(3) hydroxy group,

(4) C_{6-14} aryl group or C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{17}, ~~R^{17}~~ wherein R^{17} has the same meaning as R^{10}, ~~R^{10}~~),

(6) C_{1-6} alkylaminocarbonyl group, di-C_{1-6} alkylaminocarbonyl group, C_{1-6} alkylcarbonyl group, C_{3-8} cycloalkylcarbonyl group, C_{1-6} alkoxycarbonyl group, C_{1-6} alkylsulfonyl group, carboxy group, C_{6-14} arylsulfonyl group or C_{2-9} heteroarylsulfonyl group, ~~group),~~

(iii) C_{1-6} alkylaminocarbonyl group, di-C_{1-6} alkylaminocarbonyl group, C_{1-6} alkylcarbonyl group, C_{3-8} cycloalkylcarbonyl group, C_{1-6} alkoxycarbonyl group, C_{1-6} alkylsulfonyl group,

(iv) C_{6-14} arylsulfonyl group or ~~group,~~ C_{2-9} heteroarylsulfonyl group, wherein ~~group (wherein~~ each of the arylsulfonyl group or heteroarylsulfonyl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{17}, ~~R^{17}~~ wherein R^{17} has the same meaning as R^{10}, ~~R^{10}~~),

(v) carboxy group;

(vi) C_{6-14} arylcarbonyl group or ~~group,~~ C_{2-9} heteroarylcarbonyl group, wherein ~~group (wherein~~ each of the arylcarbonyl group or heteroarylcarbonyl group may be

~~arbitrarily~~ substituted with 1 to 3 R^{17}, ~~R^{17}~~ wherein R^{17} has the same meaning as R^{10}; ~~R^{10});~~

(vii) or O, S, SO or SO_2;

R^5 is hydrogen atom or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with

(i) halogen atom,

(ii) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, or ~~atom), or~~

(iii) hydroxy group; ~~group);~~ and

R^6 is

(i) hydrogen atom,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) carboxy group or

(5) hydroxy group, ~~group),~~

(iii) C_{3-8} cycloalkyl group or ~~group,~~ C_{3-8} cycloalkenyl group, wherein ~~group (wherein~~ the cycloalkyl group or cycloalkenyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(c) amino group,

(d) carboxy group or

(e) hydroxy group, ~~group),~~

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) amino,

(5) carboxy group or

(6) hydroxy group, ~~group),~~

(iv) amino group, C_{1-6} alkylamino group, di-C_{1-6} alkylamino group,

(v) C_{6-14} arylamino group or ~~group,~~ C_{2-9} heteroarylamino group, wherein ~~group (wherein~~ each of the arylamino group or heteroarylamino group may be ~~arbitrarily~~ substituted with 1 to 3 R^{18}, ~~R^{18}~~ wherein R^{18} has the same meaning as R^{10};

(v) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{18}, ~~R^{18}~~ wherein R^{18} has the same meaning as R^{10}; or

(vi) C_{2-9} heterocyclyl ~~hetecyclyl~~ group, wherein ~~group (wherein~~ the heterocyclyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(c) amino group,

(d) carboxy group or

(e) hydroxy group, ~~group),~~

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1to 3 R^{18}, ~~R^{18}~~-wherein R^{18} has the same meaning as R^{10}, ~~R^{10}~~),

(5) hydroxy group, nitro group, cyano group, formyl group, formamide group, amino group, C_{1-6} alkylamino group, di-C_{1-6} alkylamino group, C_{1-6} alkylcarbonylamino group, C_{1-6} alkylsulfonylamino group, aminocarbonyl group, C_{1-6} alkylaminocarbonyl group, di-C_{1-6} alkylaminocarbonyl group, C_{1-6} alkylcarbonyl group, C_{1-6} alkoxycarbonyl group; aminosulfonyl group, C_{1-6} alkylsulfonyl group, carboxy group or C_{6-14} arylcarbonyl group; ~~group);~~

A is:



wherein R^{11} and R^{12} are independently of each other: ~~other~~

(i) hydrogen atom,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) hydroxy group,

(4) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{19}, ~~R^{19}~~ wherein R^{19} has the same meaning as R^{10}, ~~R^{10}~~),

(5) C_{1-6} alkylaminocarbonyl group, di-C_{1-6} alkylaminocarbonyl group, C_{1-6} alkylcarbonyl group, C_{3-8} cycloalkylcarbonyl group, C_{1-6} alkoxycarbonyl group, C_{1-6} alkylsulfonyl group, carboxy group, C_{6-14} arylcarbonyl group or C_{2-9} heteroarylcarbonyl group, ~~group),~~

(iii) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{19}, ~~R^{19}~~ wherein R^{19} has the same meaning as R^{10}, ~~R^{10}~~),

(iv) C_{1-6} alkylaminocarbonyl group, di-C_{1-6} alkylaminocarbonyl group, C_{1-6} alkylcarbonyl group, C_{3-8} cycloalkylcarbonyl group, C_{1-6} alkoxycarbonyl group, C_{1-6} alkylsulfonyl group,

(v) C_{6-14} arylsulfonyl group or ~~group,~~ C_{2-9} heteroarylsulfonyl group, wherein ~~group (wherein~~ each of the arylsulfonyl group or heteroarylsulfonyl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{19} wherein R^{19} has the same meaning as R^{10}, ~~R^{10}~~),

(vi) carboxy group;

(vii) C_{6-14} arylcarbonyl group or ~~group,~~ C_{2-9} heteroarylcarbonyl group, wherein ~~group (wherein~~ each of the arylcarbonyl group or heteroarylcarbonyl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{19} wherein R^{19} has the same meaning as R^{10}, ~~R^{10}~~),

R^{13}, R^{14}, R^{15} and R^{16} are, independently of each other,

(i) hydrogen atom,

(ii) halogen atom,

(iii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) hydroxy group,

(5) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{20}, ~~R^{20}~~-wherein R^{20} has the same meaning as R^{10}, ~~R^{10}~~),

(6) C_{1-6} alkylaminocarbonyl group, di-C_{1-6} alkylaminocarbonyl group, C_{1-6} alkylcarbonyl group, C_{3-8} cycloalkylcarbonyl group, C_{1-6} alkoxycarbonyl group, C_{1-6} alkylsulfonyl group, carboxy group, C_{6-14} arylcarbonyl group or C_{2-9} heteroarylcarbonyl group, ~~group),~~

(iv) C_{1-6} alkoxy group, wherein ~~group (wherein the alkoxy group may be arbitrarily substituted with halogen atom, (wherein~~ the alkoxy group may be arbitrarily substituted with halogen atom, ~~atom),~~

(v) carboxy group,

(vi) amino group,

(vii) hydroxy group,

(viii) C_{6-14} aryl group or C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{20}, ~~R^{20}~~-wherein R^{20} has the same meaning as R^{10}, ~~R^{10}~~),

(ix) C_{1-6} thioalkoxy group, wherein ~~group (wherein~~ the thioalkoxy group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) carboxy group,

(4) hydroxy group,

(5) C_{6-14} aryl group or C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{20}, ~~R^{20}~~-wherein R^{20} has the same meaning as R^{10}, ~~R^{10}),~~ ~~hydroxy group, C_{6-14} aryl group or C_{2-9} heteroaryl group (wherein each of the aryl group or heteroaryl group may be arbitrarily substituted with 1 to 3 R^{20} wherein R^{20} has the same meaning as R^{10}),~~

(6) C_{1-6} alkylcarbonyloxy group, nitro group, cyano group, formyl group, formamide group, amino group, sulfonyl group, C_{1-6} alkylamino group, di-C_{1-6} alkylamino group,

(7) C_{6-14} arylamino group or ~~group,~~ C_{2-9} heteroarylamino group, wherein ~~group (wherein~~ each of the arylamino group or heteroarylamino group may be ~~arbitrarily~~ substituted with 1 to 3 R^{20}, ~~R^{20}~~ wherein R^{20} has the same meaning as R^{10}, ~~R^{10}),~~

(8) C_{1-6} alkylcarbonyloxyamino group, C_{1-6} alkylsulfonylamino group, aminocarbonyl group, C_{1-6} alkylaminocarbonyl group, di-C_{1-6} alkylaminocarbonyl group, C_{1-6} alkylcarbonyl group,

(9) C_{6-14} arylcarbonyl group or ~~group,~~ C_{2-9} heteroarylcarbonyl group, wherein ~~group (wherein~~ each of the arylcarbonyl group or heteroarylcarbonyl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{20}, ~~R^{20}~~ wherein R^{20} has the same meaning as R^{10}, ~~R^{10}),~~

(10) C_{1-6} alkoxycarbonyl group, aminosulfonyl group, C_{1-6} alkylsulfonyl group,

(11) C_{6-14} arylsulfonyl group or ~~group,~~ C_{2-9} heteroarylsulfonyl group, wherein ~~group (wherein~~ each of the arylsulfonyl group or heteroarylsulfonyl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{20}, ~~R^{20}~~ wherein R^{20} has the same meaning as R^{10}, ~~R^{10}~~),

(12) carboxy group,

(13) sulfonyl group or

(14) C_{2-9} heterocyclyl group, wherein ~~hetecyclyl group (wherein~~ the heterocyclyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(A) halogen atom,

(B) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(C) amino group,

(D) carboxy group or

(E) hydroxy group, ~~group),~~

(c) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(d) C_{6-14} aryl group or ~~group,~~ C_{2-9} heteroaryl group, wherein ~~group (wherein~~ each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{20}, ~~R^{20}~~ wherein R^{20} has the same meaning as R^{10}, ~~R^{10}~~),

(e) hydroxy group, nitro group, cyano group, formyl group, formamide group, amino group, C_{1-6} alkylamino group, di-C_{1-6} alkylamino group, C_{1-6} alkylcarbonylamino group, C_{1-6} alkylsulfonylamino group, aminocarbonyl group, C_{1-6} alkylaminocarbonyl group, di-C_{1-6} alkylaminocarbonyl group, C_{1-6} alkylcarbonyl group, C_{1-6} alkoxycarbonyl group, aminosulfonyl group, C_{1-6} alkylsulfonyl group, carboxy group or C_{6-14} arylcarbonyl group, and ~~group),~~

X is O, S, SO or SO_2.

2. (Canceled)

3. (Previously Presented) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 1, wherein R^1 and R^2 are methyl group, R^3 is hydroxy group, and R^4 is hydrogen atom.

4. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 3, wherein R^5 is hydrogen atom, m is an integer of 0 to 3 and n is an integer of 0 to 2.

5. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 4, wherein V is a single bond.

6. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 5, wherein m is an integer of 1 to 3, n is 0, and R^6 is C_{6-14} aryl group wherein the aryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{18} wherein R^{18} has the same meaning as R^{10}.

7. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 6, wherein m is 2.

8. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 7, wherein R^6 is C_{6-14} aryl group wherein the aryl

group may be ~~arbitrarily~~ substituted with 1 to 3 halogen atom or amino group, when and when a plurality of substituents are present, they may be identical or different from each other.

9. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 5, wherein m is an integer of 1 to 3, n is 0, and R^6 is C_{2-9} heteroaryl group wherein the heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{18} wherein R^{18} has the same meaning as R^{10}.

10. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 9, wherein m is 2.

11. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 10, wherein R^6 is 2-pyridyl group, 3-pyridyl group or 4-pyridyl group.

12. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 5, wherein m is an integer of 1 to 3, n is 0, and R^6 is: ~~is~~

(i) C_{2-4} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) carboxy group or

(5) hydroxy group, ~~group),~~

(ii) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(iii) amino group,

(iv) carboxy group, ~~group or~~

(v) hydroxy group, ~~group),~~

(vi) C_{3-8} cycloalkyl group or ~~group,~~ C_{3-8} cycloalkenyl group, wherein ~~group (wherein~~ the cycloalkyl group or cycloalkenyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(c) amino group,

(d) carboxy group or

(e) hydroxy group ~~group),~~

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) amino group,

(5) carboxy group or

(6) hydroxy group, ~~group),~~

(vii) or C_{2-9} hetecyclyl group, wherein ~~group (wherein~~ the heterocyclyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may

be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(c) amino group,

(d) carboxy group or

(e) hydroxy group, ~~group),~~

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) hydroxy group or

(5) amino group. ~~group).~~

13. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 12, wherein m is 2.

14. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 13, wherein R^6 is n-propyl group, i-propyl group, c-pentyl group, c-hexyl group, 1-c-pentenyl group, 2-c-pentenyl group, 3-c-pentenyl group, 1-c-hexenyl group, 2-c-hexenyl group or 3-c-hexenyl group.

15. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 4, wherein V is CR^7R^8.

16. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 15, wherein R^7 is: ~~is~~

(i) hydroxy group,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with; ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) carboxy group or

(5) hydroxy group, ~~group),~~

(iii) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(iv) C_{1-6} alkylamino group,

(v) di-C_{1-6} alkylamino group, or

(vi) carboxy group, and

R^8 is hydrogen atom or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(i) halogen atom,

(ii) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(iii) amino group,

(iv) carboxy group or

(v) hydroxy group, ~~group),~~ or

R^7 and R^8 together are =O or =S.

17. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 16, wherein R^7 is: ~~is~~

(i) hydroxy group,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, hydroxy group or carboxy group ~~group)~~ or

(iii) carboxy group, and

R^8 is hydrogen atom or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, hydroxy group or carboxy group, ~~group),~~ or

R^7 and R^8 together are =O.

18. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 17, wherein R^7 is hydroxy group, and R^8 is hydrogen atom.

19. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 15, wherein m is an integer of 1 to 2, n is 0, and R^6 is C_{6-14} aryl group or C_{2-9} heteroaryl wherein each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{18} wherein R^{18} has the same meaning as R^{10}.

20. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 19, wherein R^7 is: ~~is~~

(i) hydroxy group,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) carboxy group or

(5) hydroxy group, ~~group),~~

(iv) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(v) C_{1-6} alkylamino group,

(vi) di-C_{1-6} alkylamino group, or

(vii) carboxy group, and

R^8 is hydrogen atom or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(i) halogen atom,

(ii) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(iii) amino group,

(iv) carboxy group or

(v) hydroxy group, ~~group),~~ or

R^7 and R^8 together are =O or =S.

21. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 20, wherein R^7 is: ~~is~~

(i) hydroxy group,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, hydroxy group or carboxy group ~~group)~~ or

(iii) carboxy group, and

R^8 is hydrogen atom or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, hydroxy group or carboxy group, ~~group),~~ or R^7 and R^8 together are =O.

22. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 21, wherein R^7 is hydroxy group, and R^8 is hydrogen atom.

23. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 22, wherein m is 1, n is 0, and R^6 is C_{6-14} aryl group,

wherein ~~group wherein~~ the aryl group may be ~~arbitrarily~~ substituted with 1 to 3 halogen atom or amino group, ~~when~~ and when a plurality of substituents are present, they may be identical or different from each other.

24. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 15, wherein m is an integer of 1 to 2, n is 0, and

R^6 is: ~~is~~

(i) C_{1-4} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with; ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) carboxy group or

(5) hydroxy group, ~~group),~~

(ii) C_{3-8} cycloalkyl group or ~~group,~~ C_{3-8} cycloalkenyl group, wherein ~~group (wherein~~ the cycloalkyl group or cycloalkenyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted ~~with~~ with:

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(c) amino group,

(d) carboxy group or

(e) hydroxy group, ~~group),~~

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) carboxy group or

(5) hydroxy group, ~~group),~~ or

(iii) C_{2-9} heterocyclyl group, wherein ~~heteeyclyl group (wherein~~ the heterocyclyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(c) amino group,

(d) carboxy group or hydroxy group, ~~group),~~

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) amino group,

(5) carboxy group or

(6) hydroxy group. ~~group).~~

25. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 24, wherein R^7 is; ~~is~~

(i) hydroxy group,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ C_{1-6} alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) carboxy group or

(5) hydroxy group, ~~group),~~

(iii) C_{1-6} alkoxy group, wherein ~~group (wherein~~ C_{1-6} alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(iv) C_{1-6} alkylamino group,

(v) di-C_{1-6} alkylamino group, or

(vi) carboxy group, and

R^8 is

(i) hydrogen atom or

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(iii) halogen atom,

(iv) C_{1-6} alkoxy group, wherein ~~group (wherein~~ C_{1-6} alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(v) amino group,

(vi) carboxy group or

(vii) hydroxy group, ~~group),~~ or

R^7 and R^8 together are =O or =S.

26. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 25, wherein R^7 is: ~~is~~

(i) hydroxy group,

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) hydroxy group or

(3) carboxy group ~~group)~~ or

(iii) carboxy group, and

R^8 is hydrogen atom or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, hydroxy group or carboxy group, ~~group),~~ or R^7 and R^8 together are =O.

27. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 26, wherein R^7 is hydroxy group, and R^8 is hydrogen atom.

28. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 27, wherein R^6 is n-propyl group, i-propyl group, c-pentyl group, c-hexyl group, 1-c-pentenyl group, 2-c-pentenyl group, 3-c-pentenyl group, 1-c-hexenyl group, 2-c-hexenyl group or 3-c-hexenyl group.

29. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 15, wherein R^7 and R^8 together are =O or =S, and R^6 is: ~~is~~

(i) amino group,

(ii) C_{1-6} alkylamino group,

(iii) di-C_{1-6} alkylamino group,

(iv) C_{6-14} arylamino group or ~~group,~~ C_{2-9} heteroarylamino group, wherein ~~(wherein~~ each of the arylamino group or heteroarylamino group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) 1 to 3 R^{18}, ~~R^{18}~~-wherein R^{18} has the same meaning as R^{10}, or

(2) C_{2-9} heterocyclyl group, wherein ~~heterocyclyl group (wherein~~ the heterocyclyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(A) halogen atom,

(B) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(C) amino group,

(D) carboxy group or

(E) hydroxy group, ~~group),~~

(c) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(d) amino group,

(e) carboxy group or

(f) hydroxy group. ~~group).~~

30. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 4, wherein V is NR^9.

31. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 30, wherein m is an integer of 1 to 3, n is 0, and R^6 is C_{6-14} aryl group or C_{2-9} heteroaryl group, wherein each of the aryl group or heteroaryl group may be ~~arbitrarily~~ substituted with 1 to 3 R^{18}, ~~R^{18}~~ wherein R^{18} has the same meaning as R^{10}.

32. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 31, wherein m is 2.

33. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 30, wherein m is an integer of 1 to 3, n is 0 and R^6 is: ~~is~~

(i) hydrogen atom,

(ii) C_{2-4} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group,

(4) carboxy group or

(5) hydroxy group, ~~group),~~

(iii) C_{3-8} cycloalkyl group or ~~group,~~ C_{3-8} cycloalkenyl group, wherein ~~group (wherein~~ the cycloalkyl group or cycloalkenyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(c) amino group,

(d) carboxy group or

(e) hydroxy group, ~~group),~~

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) amino,

(5) carboxy group or

(6) hydroxy group, ~~group),~~ or

(iv) C_{2-9} hetecyclyl group, wherein ~~group (wherein~~ the heterocyclyl may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(a) halogen atom,

(b) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(c) amino group,

(d) carboxy group or

(e) hydroxy group, ~~group),~~

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(4) amino group,

(5) carboxy group or

(6) hydroxy group. ~~group).~~

34. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 33, wherein m is 2.

35. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 3, which is the compound of formula (I).

36. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 3, which is the compound of formula (II).

37. (Previously Presented) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 8, wherein the ring structure of A is



wherein R^{11}, R^{13}, R^{14} and R^{15} have the above-mentioned meanings.

38. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 37, wherein R^{11} is: ~~is~~

(i) hydrogen atom or

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group or

(4) hydroxy group, ~~group),~~ and

R^{13}, R^{14} and R^{15} are independently of each other

(i) hydrogen atom,

(ii) halogen atom,

(iii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom ~~atom) or~~

(3) amino group, or

(4) hydroxy group, ~~group),~~

(iv) ~~C_{1-6} cycloalkyl~~ C_{3-8} cycloalkyl group, wherein ~~group (wherein~~ the cycloalkyl group may be ~~arbitrarily~~ substituted with; ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group or

(4) hydroxy group, ~~group),~~

(v) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) amino group,

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom ~~atom)~~ or

(4) hydroxy group, ~~group),~~

(vi) C_{1-6} alkylcarbonyl group,

(vii) aminocarbonyl group,

(viii) amino group,

(ix) carboxy group or

(x) cyano group.

39. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 38, wherein R^{11} is; ~~is~~

(i) hydrogen atom or

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group, ~~group),~~ and R^{13}, R^{14} and R^{15} are independently of each other: ~~other~~

(i) hydrogen atom,

(ii) halogen atom,

(iii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group, ~~group),~~

(iv) carboxy group,

(v) amino group or

(vi) cyano group.

40. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 39, wherein

R^{11} is hydrogen atom,

R^{13} is hydrogen atom, halogen atom, carboxy group or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group, ~~group),~~

R^{14} is hydrogen atom, and

R^{15} is hydrogen atom, halogen atom or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group.~~group)~~.

41. (Previously Presented) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 8, wherein the ring structure of A is



wherein R^{11}, R^{12}, R^{13} and R^{14} have the above-mentioned meanings.

42. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 41, wherein R^{11} and R^{12} are independently of each other; ~~other~~

(i) hydrogen atom or

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group or

(4) hydroxy group, ~~group),~~ and

R^{13} and R^{14} are independently of each other

(i) hydrogen atom,

(ii) halogen atom,

(iii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) amino group,

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom ~~atom)~~ or

(4) hydroxy group, ~~group),~~

(iv) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with; ~~with~~

(1) halogen atom,

(2) amino group,

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~ or

(4) hydroxy group. ~~group),~~

(v) C_{1-6} alkylcarbonyl group,

(vi) amino group or

(vii) cyano group.

43. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 42, wherein R^{11} and R^{12} are independently of each other; ~~other~~

(i) hydrogen atom or

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group, ~~group),~~ and R^{13} and R^{14} are independently of each other; ~~other~~

(i) hydrogen atom,

(ii) halogen atom,

(iii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group, ~~group),~~

(iv) amino group or

(v) cyano group.

44. (Original) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 43, wherein R^{11}, R^{12}, R^{13} and R^{14} are hydrogen atom.

45. (Previously Presented) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 8, wherein the ring structure of A is



wherein R^{11}, R^{13} and R^{14} have the above-mentioned meanings.

46. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 45, wherein R^{11} is: ~~is~~

(i) hydrogen atom or

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~

(3) amino group or

(4) hydroxy group, ~~group),~~

R^{13} and R^{14} are independently of each other; ~~other~~

(i) hydrogen atom,

(ii) halogen atom,

(iii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) amino group,

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom~~atom)~~ or

(4) hydroxy group, ~~group),~~

(iv) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with: ~~with~~

(1) halogen atom,

(2) amino group,

(3) C_{1-6} alkoxy group, wherein ~~group (wherein~~ the alkoxy group may be ~~arbitrarily~~ substituted with halogen atom, ~~atom),~~ or

(4) hydroxy group),

(v) amino group or

(vi) cyano group, and

X is O, S, SO or SO_2.

47. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 46, wherein R^{11} is: ~~is~~

(i) hydrogen atom or

(ii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group, ~~group),~~

R^{13} and R^{14} are independently of each other: ~~other~~

(i) hydrogen atom,

(ii) halogen atom or

(iii) C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group, ~~group),~~ and

X is O.

48. (Currently Amended) The benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 47, wherein

R^{11} is hydrogen atom or C_{1-6} alkyl group, wherein ~~group (wherein~~ the alkyl group may be ~~arbitrarily~~ substituted with halogen atom, amino group or hydroxy group, ~~group),~~

R^{13} and R^{14} are hydrogen atom, and

X is O.

49-51. (Canceled)

52. (Currently Amended) A benzopyran derivative or pharmaceutically acceptable salt thereof which is

_____2,2,7,9-tetramethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____2,2,7-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____3-hydroxy-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-7-carbonitrile,

_____3-hydroxy-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-7-carboxamide,

_____{3-hydroxy-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-7-yl}ethanone,

_____3,3-dimethyl-1-[(2-phenylethyl)amino]-2,3-dihydro-1*H*-pyrano[3,2-f]quinolin-2-ol,

_____7-hydroxymethyl-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____3-hydroxy-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-carboxylic acid,

_____7-chloro-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____4-(benzylamino)-7-chloro-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(1,3-benzodioxol-5-yl)methyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-[(3-phenylpropyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-fluorophenyl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(2-fluorophenyl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-chlorophenyl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____4-{[2-(4-aminophenyl)ethyl]amino}-7-chloro-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[(2-hydroxy-2-phenylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-(2-phenylbutyl)amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(1,3-benzodioxol-5-yl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-{[2-(1-piperidinyl)ethyl]amino}-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-{[2-(1-methyl-2-pyrrolidinyl)ethyl]amino}-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____4-[(2-anilinoethyl)amino]-7-chloro-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-({2-[ethyl(3-methylphenyl)amino]ethyl}amino)-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-{[(1-ethyl-(R)-2-pyrrolidinyl)methyl]amino}-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-[(2,2-diethoxyethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-{[2-(3-thienyl)ethyl]amino}-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(1-pyrazolylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-methylpyrazol-1-yl)ethylamino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-chloropyrazol-1-yl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(2-pyridylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(3-pyridylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(4-pyridylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-ethylamino-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-isobutylamino-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[(cyclopropylmethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-isoamylamino-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(cyclopentylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(1-cyclopentenylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-[(1,4-dimethylpentyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-(pentylamino)-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[(2-cyclohexylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-[(2-tetrahydro-2*H*-pyran-4-ylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-[(2-tetrahydro-2*H*-thiopyran-4-ylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-({[6-(4-chlorophenyl)-3-pyridinyl]methyl}amino)-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____4-[(2-benzofuranylmethyl)amino]-7-chloro-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[(2-hydroxypentyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7,7-dimethyl-9-[(2-phenylethyl)amino]-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____9-{[2-(2-fluorophenyl)ethyl]amino}-7,7-dimethyl-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____9-{[2-(4-fluorophenyl)ethyl]amino}-7,7-dimethyl-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____9-[(2-hydroxy-2-phenylethyl)amino]-7,7-dimethyl-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____7,7-dimethyl-9-(pentylamino)-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____2,3,7,7-tetramethyl-9-[(2-phenylethyl)amino]-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____2,3-diethyl-7,7-dimethyl-9-[(2-phenylethyl)amino]-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____3,7,7-trimethyl-2-phenyl-9-[(2-phenylethyl)amino]-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____2,7,7-trimethyl-3-phenyl-9-[(2-phenylethyl)amino]-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____3,7,7-trimethyl-9-[(2-phenylethyl)amino]-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____9-[(2-cyclohexylethyl)amino]-7,7-dimethyl-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

~~_____6,7-imidazolino-3,4-dihydro-2,2-dimethyl-4-(2'-phenylethylamino)2*H*-1-benzopyran-3-ol,~~

_____7-hydroxy-6,6-dimethyl-8-(2-phenylethylamino)-4,6,7,8-tetrahydro-1,5-dioxa-4-aza-anthracen-3-on,

_____7-hydroxy-4,6,6-trimethyl-8-(2-phenylethylamino)-4,6,7,8-tetrahydro-1,5-dioxa-4-aza-anthracen-3-on,

_____6,6-dimethyl-8-(2-phenylethylamino)-2,3,4,6,7,8-hexahydro-1,5-dioxa-4-aza-anthracen-7-ol,

_____7-hydroxy-6,6-dimethyl-8-(2-phenylethylamino)-7,8-dihydro-1*H*,6*H*-4,5-dioxa-1-aza-anthracen-2-on,

_____6,6-dimethyl-8-(2-phenylethylamino)-2,3,7,8-tetrahydro-1*H*,6*H*-4,5-dioxa-1-aza-anthracen-7-ol,

_____9-hydroxymethyl-2,2-dimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinoline-3,7-diol,

_____7-aminomethyl-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-5-oxy-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-fluorophenyl)ethyl]amino}-2,2,9-trimethyl-5-oxy-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-5-oxy-4-(pentylamino)-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____4-{[2-(fluorophenyl)ethyl]amino}-7-hydroxymethyl-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol or

_____2,2-dimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol.

53. (Currently Amended) A benzopyran derivative or pharmaceutically acceptable salt thereof which is

_____2,2,7-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____3,3-dimethyl-1-[(2-phenylethyl)amino]-2,3-dihydro-1*H*-pyrano[3,2-f]quinolin-2-ol,

_____7-hydroxymethyl-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-fluorophenyl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(2-fluorophenyl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-chlorophenyl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____3-hydroxy-2,2,9-trimethyl-4-[2-(phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinoline-7carboxylic acid,

_____4-{[2-(4-aminophenyl)ethyl]amino}-7-chloro-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[(2-hydroxy-2-phenylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-{[2-(1-piperidinyl) ethyl]amino}-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-chloropyrazol-1-yl)ethyl]amino}-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(2-pyridylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(3-pyridylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(4-pyridylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-isoamylamino-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(cyclopentylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[2-(1-cyclopentenylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-4-(pentylamino)-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[(2-cyclohexylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-[(2-hydroxypentyl)amino]-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7,7-dimethyl-9-[(2-phenylethyl)amino]-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____9-{[2-(2-fluorophenyl)ethyl]amino}-7,7-dimethyl-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____9-{[2-(4-fluorophenyl)ethyl]amino}-7,7-dimethyl-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____9-[(2-hydroxy-2-phenylethyl)amino]-7,7-dimethyl-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____7,7-dimethyl-9-(pentylamino)-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____9-[(2-cyclohexylethyl)amino]-7,7-dimethyl-8,9-dihydro-7*H*-pyrano[2,3-g]quinoxalin-8-ol,

_____7-hydroxy-6,6-dimethyl-8-(2-phenylethylamino)-4,6,7,8-tetrahydro-1,5-dioxa-4-aza-anthracen-3-on,

_____7-hydroxy-4,6,6-trimethyl-8-(2-phenylethylamino)-4,6,7,8-tetrahydro-1,5-dioxa-4-aza-anthracen-3-one,

_____7-hydroxy-6,6-dimethyl-8-(2-phenylethylamino)-7,8-dihydro-1*H*,6*H*-4,5-dioxa-1-aza-anthracen-2-one,

_____9-hydroxymethyl-2,2-dimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinoline-3,7-diol,

_____7-aminomethyl-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-5-oxy-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-4-{[2-(4-fluorophenyl)ethyl]amino}-2,2,9-trimethyl-5-oxy-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____7-chloro-2,2,9-trimethyl-5-oxy-4-(pentylamino)-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol,

_____4-{[2-(4-fluorophenyl)ethyl]amino}-7-hydroxymethyl-2,2,9-trimethyl-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol or

_____2,2-dimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2*H*-pyrano[2,3-g]quinolin-3-ol.

54. (Currently Amended) A method of treating arrhythmia comprising the step of administering to a patient an effective dosage of a pharmaceutical compound, wherein the pharmaceutical compound comprises the benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 1. ~~A pharmaceutical comprising the benzopyran derivative or pharmaceutically acceptable salt thereof according to claim 1 as an active ingredient.~~

55. (Canceled)

56. (New) A benzopyran derivative or pharmaceutically acceptable salt thereof which is 2,2,7-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2H-pyrano[2,3-g]quinolin-3-ol.

57. (New) A benzopyran derivative or pharmaceutically acceptable salt thereof which is 7-hydroxymethyl-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2H-pyrano[2,3-g]quinolin-3ol.

58. (New) A benzopyran derivative or pharmaceutically acceptable salt thereof which is 7-chloro-2,2,9-trimethyl-4-[(2-phenylethyl)amino]-3,4-dihydro-2H-pyrano[2,3-g]quinolin-3-ol.

59. (New) A benzopyran derivative or pharmaceutically acceptable salt thereof which is 7-chloro-2,2,9-trimethyl-4-{[2-(3-pyridyl)ethyl]amino}-3,4-dihydro-2H-pyrano[2,3-g]quinolin-3-ol.

60. (New) A benzopyran derivative or pharmaceutically acceptable salt thereof which is 7-chloro-4-[(2-cyclohexylethyl)amino]-2,2,9-trimethyl-3,4-dihydro-2H-pyrano[2,3-g]quinolin-3-ol.

61. (New) A benzopyran derivative or pharmaceutically acceptable salt thereof which is 7,7-dimethyl-9-[(2-phenylethyl)amino]-8,9-dihydro-7H-pyrano[2,3-g]quinoxalin-8-ol.

62. (New) A benzopyran derivative or pharmaceutically acceptable salt thereof which is 9-{[2-(4-fluorophenyl)ethyl]amino}-7,7-dimethyl-8,9-dihydro-7H-pyrano[2,3-g]quinoxalin-8-ol.

63. (New) A benzopyran derivative or pharmaceutically acceptable salt thereof which is 7-hydroxy-6,6-dimethyl-8-[(2-phenylethyl)amino]-7,8-dihydro-1H,6H-4,5-dioxa-1-aza-anthracen-2-one.